

How can I protect my child from COVID-19 infection?

You can encourage your child to help stop the spread of COVID-19 by teaching them to do the same things everyone should do to stay healthy.

- Avoid close contact with people who are sick.
- Stay home when you are sick, except to get medical care.
- Cover your coughs and sneezes with a tissue and throw the tissue in the trash.
- Wash your hands often with soap and water for at least 20 seconds.
- If soap and water are not readily available, use an alcohol-based hand sanitizer with at least 60% alcohol.
- Clean and disinfect frequently touched surfaces and objects, like tables, countertops, light switches, doorknobs, and cabinet handles).

You can find additional information on preventing COVID-19 at [How to Protect Yourself & Others](#). Additional information on how COVID-19 is spread is available at [How COVID-19 Spreads](#).

Should children wear masks?

CDC recommends that everyone 2 years and older wear a mask that covers their nose and mouth in public settings when around people not living in your household, particularly where other social distancing measures are difficult to maintain. Masks should NOT be put on babies or children younger than 2 because of the danger of suffocation. Children younger than 2 years of age are listed as an exception as well as anyone who has trouble breathing or is unconscious, incapacitated, or otherwise unable to remove the mask without assistance.

More information on [Keeping Children Healthy during the COVID-19 Outbreak](#) is available online.

Are the symptoms of COVID-19 different in children than in adults?

No. The symptoms of COVID-19 are similar in children and adults. COVID-19 can look different in different people. For many people, being sick with COVID-19 would be a little bit like having the flu. People can get a fever, cough, or have a hard time taking deep breaths. Most people who have gotten COVID-19 have not gotten very sick. Only a small group of people who get it have had more serious problems.

CDC and partners are investigating cases of multisystem inflammatory syndrome in children (MIS-C) associated with COVID-19. Learn more about [COVID-19 and multisystem inflammatory syndrome in children \(MIS-C\)](#).

What is the risk of my child becoming sick with COVID-19?

Based on available evidence, children do not appear to be at higher risk for COVID-19 than adults. While some children and infants have been sick with COVID-19, adults make up most of the known cases to date. However, a few children have developed [multisystem inflammatory syndrome \(MIS-C\)](#). Currently, information about this syndrome is limited. CDC is working with state and local health departments to learn more about MIS-C.

Can my child hang out with their friends?

The key to slowing the spread of COVID-19 is to practice social distancing. While school is out, children should not have in-person playdates with children from other households. If children are playing outside their own homes, it is essential that they remain 6 feet from anyone who is not in their own household. Some children with certain underlying [medical conditions](#) are at higher risk for severe illness from COVID-19.

Make sure children practice [everyday preventive behaviors](#), such as washing their hands often with soap and water. Remember, if children meet outside of school in groups, it can put everyone at risk.

For more information, see [Help Stop the Spread of COVID-19 in Children](#).

How can I help my child continue learning?

- Stay in touch with your child's school.
 - Many schools are offering lessons online (virtual learning). Review assignments from the school, and help your child establish a reasonable pace for completing the work. You may need to assist your child with turning on devices, reading instructions, and typing answers.
- Create a schedule and routine for learning at home, but remain flexible.
- Consider the needs and adjustment required for your child's age group.
 - The transition to being at home will be different for preschoolers, K-5, middle school students, and high school students. Talk to your child about expectations and how they are adjusting to being at home versus at school.
- Look for ways to make learning fun.

For more information, see [Help Children Learn at Home](#).

Will kids have access to school meals?

Check with your school on plans to continue meal services during the school dismissal. Many schools are keeping school facilities open to allow families to pick up meals or are providing grab-and-go meals at a central location.

When should I seek emergency care if I have COVID-19?

Look for **emergency warning signs*** for COVID-19. If someone is showing any of these signs, **seek emergency medical care immediately**

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Inability to wake or stay awake
- Bluish lips or face

*This list is not all possible symptoms. Please call your medical provider for any other symptoms that are severe or concerning to you.

Call 911 or call ahead to your local emergency facility: Notify the operator that you are seeking care for someone who has or may have COVID-19.